

Poz - cija	Materi lu un iek rtu nosaukums un tehniskais raksturojums. R p n ca-ražot ja /importa iek rtu-valsts, firma/	lek rtas tips, marka, dokumen- ta apz m jums un aptaujas lapas Nr.	M r- vie- n ba	Cena, Ls	Dau- dzums	lek rtas vien bas masa, kg
	Apkures sist ma A1					
	Radiatori "KALOR", komp. ar	KALOR 3/500-160	sekc..		210	
	- stiprin juma kronšteinu	KALOR 600-160	-"-		23	
	- radiatora atgaisot ju					
	- kor i					
	"VIADRUS", ehija					
	SIA FAN, t lr. 29468207					
	St ra termoregulators Ø15	RTD-N	gb.		18	
	"Danfoss" D nija					
	St ra radiatora ventilis Ø15	RLV	-"-		18	
	"Danfoss", D nija					
	Lodveida v rstis Ø32		gb.		1	
	Ø25		-"-		1	
	Ø20		-"-		2	
	Balans jošais varsts D _N 32	MSV-I	gb.		1	
	D _N 20	MSV-I	-"-		1	
	"Danfoss", D nija					
	Vara caurule Ø15x1,0		m		102	
	Ø18x1,0		-"-		40	
	Ø22x1,0		-"-		88	
	Ø28x1,2		-"-		26	
	Ø35x1,5		-"-		17	
	Miner lvates cilindri L=1,2 m.	Pro Section – 35- 50	gb.		9	
	"PAROC", Somija	Pro Section - 35- 40	-"-		6	
		Pro Section - 28 - 40	-"-		5	
	P rkl jums virs miner lvates	PVC - 35 - 141	m ²		5	
	"PAROC", Somija	PVC – 35 - 115	-"-		3	
		PVC – 28 - 102	-"-		2	

AVK-A.IS				Pas t t js:		
				SIA „TURSONS”		
				MANSARDA ST VA IZB VEI, Valdem ra 38, R g .		
				Stadija	Lapa	Lapas
				T. p.	1	5
P rb.	N.Kotina			Apkure. lek rtu specifika cija.		
Izpild.	J.Bespalova					
				SIA “TURSONS”		

[illegible]

[illegible]

[illegible]

Pozi- cija	Materi lu un iek rtu nosaukums un tehniskais raksturojums. R p n ca-ražot ja /importa iek rtu-valsts,firma/	Iek rtas tips. Marka dokumen- ta apz m jums un aptaujas lapas Nr.	M r- vie- n ba	Cena, Ls	Dau- dzums	Iek rtas vien bas masa, kg
	Apkures sist ma A3					
	Radiatori "KALOR", komp. ar	KALOR 3/500-160	sekc..		371	
	- stiprin juma kronšteinu	KALOR 600-160	-"-		12	
	- radiatora atgaisot ju					
	- kor i					
	"VIADRUS", ehija					
	SIA FAN, t l r. 29468207					
	Termoregulators, Ø15	RTD	gb.		24	
	"Danfoss" D nija					
	Radiatora ventilis, Ø15	RLV	-"-		24	
	"Danfoss", D nija					
	Lodveida v rstis Ø40		gb.		1	
	Ø25		-"-		3	
	Balans jošais varsts DN 40	MSV-I	gb.		1	
	"Danfoss", D nija					
	Vara caurule Ø15x1,0		m		105	
	Ø18x1,0		-"-		63	
	Ø22x1,0		-"-		111	
	Ø28x1,2		-"-		115	
	Ø35x1,5		-"-		8	
	Ø42x1,5		-"-		26	
	Miner lvates cilindri L=1,2 m.	Pro Section – 42- 50	gb.		22	
	"PAROC", Somija	Pro Section - 35- 40	-"-		7	
		Pro Section - 28 - 40	-"-		7	
	P rkl jums virs miner lvates	PVC - 42 - 141	m ²		11	
	"PAROC", Somija	PVC – 35 - 115	-"-		3	
		PVC – 28 - 102	-"-		3	
	Siltumizol cija "TUBOLIT"	TL 28/13-DG	m		76	
	firma "Armacell"	TL 22/13-DG	-"-		60	
		TL 18/13-DG	-"-		48	
		TL 15/13-DG	-"-		40	
	Stiprin jumi		gb.		410	
	Ugunsdroša masa	CP 636	iepak.		2	
	"HILTI", Somija,					
	"HILTI Services Limited", t l r. 7 62 8822					
AVK-A.IS						Lapa 5