




PLĀNS PA 1 - 1
M1 : 50




GRIEZUMS 3 - 3
M1 : 50




GRIEZUMS 2 - 2
M1 : 50



1
BK4
M1 : 10



A - A



- 1.Lapu skat. kopā ar lapu BK4.
- 2.Visu tērauda elementu tērauda marka ir S355 pēc EN10219.

TĒRAUDA SPECIFIKĀCIJA 1 ELEMENTAM

Elemen. marka	Pozīc.	Skice, FOST	Griezums, mm	Garums, mm	Skaits gab.	Kopgar. m	Masa, kg		
							pozīc.	kopā	markas
LŠ1	1	EN10219	□120x80x6	13804	4	55.216	298.58	1194.32	
	2	EN10219	□120x80x6	2450	20	49.000	41.65	833.00	
	3	EN10219	□120x120x6	1650	19	31.350	34.32	652.08	
	4	EN10219	□120x80x6	2690	2	5.380	45.73	91.46	
	5	EN10219	□120x120x6	1810	2	3.620	37.65	75.30	
	6	EN10034	IPE120	2690	1	2.690	71.82	71.82	
	7	EN10219	□120x80x6	2240	1	2.240	38.08	38.08	3251.07
	8	EN10219	□120x80x6	2250	5	11.250	38.25	191.25	
	9	EN10219	□40x40x4	2960	2	5.920	12.43	24.86	
	10	EN10219	□120x80x6	307	3	0.921	5.22	15.66	
	11	FOST19903	- 16x220	260	4	1.040	7.18	28.74	
	12	FOST103	- 120x10	400	4	1.600	3.77	15.07	
	13	FOST19903	- 10x155	185	1	0.185	2.25	2.25	
	13	EN10219	□40x40x4	2045	2	4.090	8.59	17.18	

Telpu pielāgošana personām ar īpašām vajadzībām Jelgavas pils ERAF līdzfinansētā projekta "LLU mācību telpu infrastruktūras modernizācija" ietvaros Lielā ielā 2, Jelgavā					13 - 006		
					BK		
Izstrād.	L. Rubīna			16.04. 13.	Mācību telpas		
					Stadija TP	Lapa 5	Lapas
					Plāns pa 1-1; griezumī 2-2; 3-3. Mezgls 1.		